

EAST Text Search

	Type	L #	Hits	Search Text	DBs	Time Stamp
14	BRS	L14	0	11 and 6	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/06/21 10:32
15	BRS	L15	0	"low impedance conductoe"	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/06/21 10:33
16	BRS	L16	156	"low impedance conductor"	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/06/21 10:33
17	BRS	L17	0	6 and 16	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/06/21 10:33
18	BRS	L18	8	6 and grounding	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/06/21 10:34
19	IS&R	L19	331	(174/6).CCLS.	USPAT; USOCR	2005/06/21 10:34

East Text Search

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	BRS	L9	8	6 and grounding	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/06/21 10:28
10	BRS	L10	85661	"220"/\$.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/06/21 10:28
11	BRS	L11	18914	(conductor or wire)and (low adj2 impedance)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/06/21 10:30
12	BRS	L12	6	10 and 11	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/06/21 10:30
13	BRS	L13	183	11 and reel	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/06/21 10:32

East text Search

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	IS&R	L1	677	(174/58) .CCLS.	USPAT; USOCR	2005/06/21 08:22
2	IS&R	L2	1207	(174/50) .CCLS.	USPAT; USOCR	2005/06/21 08:23
3	IS&R	L3	451	(229/198.2) .CCLS.	USPAT; USOCR	2005/06/21 08:25
4	IS&R	L4	749	(174/53) .CCLS.	USPAT; USOCR	2005/06/21 09:17
5	IS&R	L5	2	(("5159523") or ("3942674")) .PN.	USPAT; USOCR	2005/06/21 09:54
6	BRS	L6	863	(tank and (floating adj2 roof))	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/06/21 09:59
7	BRS	L8	0	6 and 7	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/06/21 09:56
8	BRS	L7	10	(low and (impedance adj2 conductor)) and reel	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/06/21 09:56